



Udara Air Compressors
Hermosillo, Sonora, México
Tel: 662 216 1995
contacto@udaracompressors.com

Compresor de Tornillo - Velocidad variable M-10

MODEL		CFM
M-10	100 PSI	42.37
	116 PSI	38.84
	145 PSI	28.25
Cooling Type		Air Cooling
Exhaust Temperature (°C)		<Ambient Temperature +15°C
Oil Capacity		5 L
Noise Level		60±3 dB(A)
Driving Mode		Direct drive
ElectricMotor		7.5
Power		220V/50-60Hz/1ph-3ph
Dimension	Lenght (mm)	65
	Width (mm)	61
	Height (mm)	125
Weight (Kg)		180
Outlet Diameter		3/4"



M-15

MODEL		CFM
M-15	100 PSI	63.56
	116 PSI	60.03
	145 PSI	52.97
Cooling Type		Air Cooling
Exhaust Temperature (°C)		<Ambient Temperature +15°C
Oil Capacity		7 L
Noise Level		62±3 dB(A)
Driving Mode		Direct drive
ElectricMotor		11
Power		220v/60hz
Dimension	Lenght (mm)	74
	Width (mm)	68
	Height (mm)	142
Weight (Kg)		245
Outlet Diameter		3/4"





Udara Air Compressors
Hermosillo, Sonora, México
Tel: 662 216 1995
contacto@udaracompressors.com

M-20

MODEL		CFM
M-20	100 PSI	84.75
	116 PSI	77.69
	145 PSI	60.03
Cooling Type		Air Cooling
Exhaust Temperature (°C)		<Ambient Temperature +15°C
Oil Capacity		7 L
Noise Level		62±3 dB(A)
Driving Mode		Direct drive
ElectricMotor		15
Power		220/50-60HZ/1ph-3ph
Dimension	Lenght (mm)	74
	Width (mm)	68
	Height (mm)	142
Weight (Kg)		245
Outlet Diameter		3/4"



M-30

MODEL		CFM
M-30	100 PSI	127
	116 PSI	120
	145 PSI	102
Cooling Type		Air Cooling
Exhaust Temperature (°C)		<Ambient Temperature +15°C
Oil Capacity		10 L
Noise Level		63±3 dB(A)
Driving Mode		Direct drive
ElectricMotor		22
Power		220v/60hz
Dimension	Lenght (mm)	80
	Width (mm)	78
	Height (mm)	159
Weight (Kg)		340
Outlet Diameter		1"





Udara Air Compressors
Hermosillo, Sonora, México
Tel: 662 216 1995
contacto@udaracompressors.com

M-50

MODEL		CFM
M-50	100 PSI	218
	116 PSI	215
	145 PSI	180
Cooling Type		Air Cooling
Exhaust Temperature (°C)		<Ambient Temperature +15°C
Oil Capacity		16 L
Noise Level		65±3 dB(A)
Driving Mode		Direct drive
ElectricMotor		37
Power		220v/60hz
Dimension	Lenght (mm)	90
	Width (mm)	87
	Height (mm)	174
Weight (Kg)		480
Outlet Diameter		1-1/4"

